ГВ182420А	Reg. No:
	NT.

# B.Sc. DEGREE (C.B.C.S.S.) EXAMINATION, MARCH 2019 (2018 Admission Regular) SEMESTER II – CORE COURSE (STATISTICS) ST2B02B18 - PROBABILITY AND RANDOM VARIABLES (For Computer Applications)

Time: Three Hours Maximum Marks: 80

Use of Scientific calculators and Statistical tables are permitted.

### **PART A**

# I. Answer any ten questions. Each question carries 2 marks.

- 1. If the correlation coefficient is 1, what is the angle between the regression lines?
- 2. What is multiple correlation?
- 3. If 3x+2y=8 and 4x+5y=18 are the regression lines, find the regression coefficients between them?
- 4. If f(x) = k x for x=1,2,3 is a probability density function, find k.
- 5. When will you say two random variables are independent?
- 6. What is the probability of getting a multiple of 3, When two dice are thrown and the sum of the numbers on the faces turning up are taken.
- 7. What are the normal equations for fitting a curve of the form  $y=a.e^{bx}$ ?
- 8. Find the probability of getting 3 spades and 2 diamonds when 5 cards are drawn from a pack of cards.
- 9. Give the axiomatic definition of probability.
- 10. For two independent events A and B, Prove that A' and B' are independent.
- 11. The distribution function of X is F(x). If F(-1)=0 and F(3)=1, find F(-2) and F(-5).
- 12. Describe the principle of least squares.

(10x2 = 20)

### PART B

## II. Answer any six questions. Each question carries 5 marks.

- 13. Define Spearman's rank correlation coefficient and derive the formula for the same.
- 14. Two regression lines are 7x-2y=29 and 5x-11y+8=0. Find the
  - 1) Ratio of variances of X,Y
  - 2) Correlation coefficient.
- 15. Describe the method of fitting a straight line to a given data.
- 16. What do you mean by regression? Derive the equations of the regression lines.
- 17. State and prove addition theorem of probability.
- 18. Prove or Disprove." Pair wise independence does not imply mutual independence".
- 19. The distribution function of a random variable X is given by

$$F(x) = \frac{1}{4}x(3x - x^2), 0 \le x \le 2$$
, find its pdf and obtain  $P(0.5 \le X \le 1.5)$ .

1 P.T.O

- 20. Two unbiased coins are tossed. Let X=1, if the first coin shows head and X=0, if it shows tail and Y denote the number of heads thrown. Write the joint probability function.
- 21. For the joint density function:

$$f(x, y) = \frac{2}{3}(1+x)e^{-y}, 0 < x < 1, y > 0$$
  
= 0, elsewhere

Obtain the conditional distribution of X given Y=1.

(6x5 = 30)

### **PART C**

# III. Answer any two questions. Each question carries 15 marks.

- 22. (a) State and prove Baye's theorem.
  - (b) The contents of three bags are:

1<sup>st</sup> bag: 4 white and 3 red balls

2<sup>nd</sup> bag: 7 white and 4 red balls

3<sup>rd</sup> bag: 3 white and 6 red balls

One bag is selected at random and a ball is drawn from it. If it is found to be white, what is the probability that it is from 2<sup>nd</sup> bag?

- 23. a) Derive the formula for rank correlation coefficient.
  - b) From the following information, obtain the correlation coefficient:

$$n = 12, \sum x = 30, \sum y = 5, \sum x^2 = 670, \sum y^2 = 285, \sum xy = 334$$

- 24. If f(x,y)= c (x+y) for x=0,1,2 and y=1,2 is the joint distribution of (X,Y), find
  (a) c (b) the conditional distribution of X given Y=2. Also examine whether X and Y are independent.
- 25. Two variables gave the following data:  $\overline{X} = 20$ ,  $\overline{Y} = 15$ ,  $\uparrow_x = 4$ ,  $\uparrow_y = 3$ , r = +0.7Obtain the two regression equations and find the most likely values of y when X=24.

(2x15 = 30)